



About Error Tables

Error codes were originally designed to be an 8-position field that identifies the record type on which the error occurred, the starting position of the field in error, and the error sequence number for the field.

Due to the complexity of WCPOLS, a new approach was taken with the WCEPOLS Error Code Table. In this new approach, we maintain the record type and the starting position, but use the last three positions to identify the type of error.

WCESTAT Error Code:

Record Type	Starting Position	Sequence	Error Code	Error Description
01	01	001	0101001	This is an example message.

WCEPOLS Error Code:

Record Type	Starting Position	Error Type	Error Code	Error Description
01	01	001	0101001	This is an example message.

Below is a chart of the WCEPOLS Error Types:

WCEPOLS Error Type	Descriptions
000	Missing records
001	Missing field value
002	Missing policy change effective date
003	Missing policy change expiration date
004	Missing prior policy #
005	Missing original policy #
006	Missing primary name record
007	Missing name PEO client code
008	Missing associated address
009	Missing name link
010	Missing state link
011	Missing exposure link
012	Missing class
014	Missing endorsement number
016	Missing exposure
020	Invalid code value
021	Invalid number
022	Invalid date
028-033	Invalid links
034	Invalid endorsement
100	Header record errors
200	Name record errors
300	Address record errors
400	Premium record errors
500	Exposure record errors
800	Cancel/Reinstate record errors
900-909	Generic endorsement errors
910 +	State-specific endorsement errors